

Page 1/6

Material Safety Data Sheet acc. to ISO/DIS 11014

1 Identification of substance

- · Product details
- · Trade name: GC Fuji ORTHO BAND Paste Pak Paste B
- · Application of the substance / the preparation Auxiliary for dental technology
- · Manufacturer/Supplier:

GC EUROPE N.V. Interleuvenlaan 13 B-3001 Leuven Tel. +32/(0)16/39.80.50 Fax +32/(0)16/40.26.84 quality@gceurope.com

· Information department: Technical Operations

2 Composition/Data on components

- · Chemical characterization
- · Description:

Mixture of the substances listed below with nonhazardous additions.

Mixture: consisting of the following components.

· Dangerous components:				
CAS: 9003-01-4	Polyacrylic acid	30-45%		
CAS: 7732-18-5 EINECS: 231-791-2	Distilled water	30-35%		
CAS: 14808-60-7 EINECS: 238-878-4	Quartz	20.0%		

· Additional information: For the wording of the listed risk phrases refer to section 16.

3 Hazards identification

· Hazard description:



Irritant

· Information pertaining to particular dangers for man and environment:

The product has to be labelled due to the calculation procedure of international guidelines. Irritating to eyes, respiratory system and skin.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· NFPA ratings (scale 0 - 4)



(Contd. on page 2)

Trade name: GC Fuji ORTHO BAND Paste Pak Paste B

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)



4 First aid measures

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

5 Fire fighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

7 Handling and storage

- · Handling:
- · Information for safe handling:

 ${\it Ensure good ventilation/exhaustion \ at \ the \ workplace}.$

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 3)

Printing date 07/17/2007 Version 2 Reviewed on 07/17/2007

Trade name: GC Fuji ORTHO BAND Paste Pak Paste B

(Contd. of page 2)

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

0 T	. .	7	7 .	7	
UL	hugical	and	chomi	cal nro	novitage
71	Physical	<i></i>	91491144		nerues

· General Information	^		
Form:	Liquid		
Color: Odor:	White Characteristic		
· Change in condition Melting point/Melting range: Boiling point/Boiling range:			
· Flash point:	Not applicable.		
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Vapor pressure at 20°C (68°F): 23.0 hPa (17 mm Hg)			
· Density:	Not determined.		
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.		
· Solvent content:			
Organic solvents: Water:	0.0 % 40.0 %		
· Solids content:	100.0 %		

USA

Trade name: GC Fuji ORTHO BAND Paste Pak Paste B

(Contd. of page 3)

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous products of decomposition: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

12 Ecological information

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · DOT regulations:
- · Hazard class:
- · Land transport ADR/RID (cross-border):
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -

15 Regulations

- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

(Contd. on page 5)

Trade name: GC Fuji ORTHO BAND Paste Pak Paste B

	(Contd. of page 4
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
7732-18-5 Distilled water	
14808-60-7 Quartz	
Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· IARC (International Agency for Research on Cancer)	
9003-01-4 Polyacrylic acid	3
14808-60-7 Quartz	1
· NTP (National Toxicology Program)	
14808-60-7 Quartz	K
TLV (Threshold Limit Value established by ACGIH)	
14808-60-7 Quartz	A2
MAK (German Maximum Workplace Concentration)	·
14808-60-7 Quartz	1
NIOSH-Ca (National Institute for Occupational Safety and Health)	
14808-60-7 Quartz	
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

· Product related hazard informations:

The product has been classified and marked in accordance with directives on hazardous materials.

· Hazard symbols:

Irritant

· Risk phrases:

Irritating to eyes, respiratory system and skin.

· Safety phrases:

Keep out of the reach of children.

Do not breathe gas/fumes/vapour/spray.

Avoid contact with eyes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed, seek medical advice immediately and show this container or label.

Dispose of this material and its container at hazardous or special waste collection point

· National regulations:

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Printing date 07/17/2007 Version 2 Reviewed on 07/17/2007

Trade name: GC Fuji ORTHO BAND Paste Pak Paste B

(Contd. of page 5)

16 Other information

- · Department issuing MSDS: Technical Operations
- · Contact: Dr. P. Manouvriez
- · * Data compared to the previous version altered.

USA