

Brilliant at strength

Discover Initial™ LiSi, the ceramic system that allies beauty and strength

Lithium disilicate is a glass ceramic successfully used in practice, and is known for its excellent combination of strength and aesthetics. At GC, we could further optimise these qualities thanks to the proprietary fabrication technology used in Initial LiSi Press, a high-strength lithium disilicate glass ceramic material.

For its development, GC can rely on more than 15 years of experience with the Initial all-ceramic range that is well-known among dental technicians.

Combined with the layering ceramics GC Initial LiSi or GC Initial Lustre Pastes, it achieves impressive aesthetic results in all clinical situations.






Lithium disilicate with HDM technology

Impressive strength thanks to HDM technology

GC Initial LiSi Press is the first lithium disilicate ingot with HDM Technology (High Density Micronization). The lithium disilicate micro-crystals are equally dispersed within the glass matrix for a homogeneous fill and a higher crystal density.

This has resulted in an impressive flexural strength of no less than 508 MPa and an excellent polishablility. Moreover, the fine structure will contribute to minimise the wear of the antagonist teeth.



Antagonist friendly:


Initial Lisi Press will induce less wear to the antagonist than the tested competitors

Courtesy GC R&D data, Japan, 2016

Bright and natural aesthetics in all circumstances

GC Initial LiSi ceramics has vibrant and warm colour tones with an excellent fluorescence, similar to natural teeth, for very lifelike restorations under any light sources, even in the evening.

The colour remains stable after multiple firings, making it possible to adapt the shade even after the first try-in. The stability of the material will also contribute to long-term aesthetic results.



Natural opalescence and fluorescence Left tooth: Initial LiSi Right tooth: Standard lithium disilicate veneering ceramic Courtesy MDT M. Brüsch, Germany

Excellent marginal adaptation

Thanks to the homogeneous structure of the evenly dispersed micro crystals, Initial LiSi ceramics are less prone to marginal chipping.

The excellent marginal adaptation contributes to clinical longevity and long-lasting aesthetics.



Excellent Marginal adaptationCourtesy CTD A Hodges, USA

High versatility: One ceramic for all indications

The impressive strength and excellent aesthetics make the material suitable for ultra-thin veneers as well as for single tooth restorations and small bridges, in both the anterior and posterior zone, on teeth and on implants.

Thanks to the four translucencies of GC Initial LiSi Press, beautiful results can be obtained, regardless of the thickness of the preparation and the colour of the abutment.



From single restoration to multiple restorations on discolored substrates



Single Anterior restoration: Courtesy CDT Pedro Brito, Portugal; Dentist Dr Rodrigo Cavaco, Portugal







The use of LiSi Press Medium Opacity is an excellent option in this case to mask the heavy tetracycline discolourations: Courtesy MDT D. Watzki, France; Dentist Dr O. Etienne, France



4 translucencies to beautifully	Indications		
match all your indications		Inlays/ Onlays	Crowns/Bridge
High Translucency (HT) - Enamel replacement		-	
HTEXW HTBLE+ HTBLE HTES7 HTES8 HTES9 HTE60			
Medium Translucency (MT)		-	
MT800 MT80+ MT80 MTA1 MTA2 MTA3 MTA3,5 MTA4 MTB1 MT82 MTB3 MTB4 MTC1 MTC2 MTC3 MTC4 MTD2 MTD3 MTD4			day.
Low Translucency (LT)			
			do do
Low Translucency - One Body Concept (LT-IQ)			
LTA LTB LTC LTD			de del
Medium Opacity (MO)			
MO-0 MO-1 MO-2			day.

From anterior veneers to posterior crowns





Anterior restorations: Courtesy CDT Jasper Dekesel, Belgium; Dentist Elisabeth De Maesschalck, Belgium





Posterior restorations:Courtesy CDT Simone Maffei, Italy; Dentist Dr Francesco Romagnoli, Italy

Clear and simple luting protocol

Lithium disilicate restorations can be adhesively or conventionally luted, depending on the indication and the practitioner's preferences.

The GC Luting Guide will assist you in selecting the best alternatives for each indication. In case high aesthetics is required, G-CEM Try-in Paste will help you in choosing the best shade.





Download the GC Luting Guide






Indications						
		Dual-cure adhesive resin G-CEM LinkForce™	Self-adhesive resin with optional tooth primer G-CEM ONE™ with AEP	Resin-Modified Glass Ionomers FujiCEM™ Evolve, FujiCEM™ 2 SL or Fuji PLUS™	Light-cure adhesive resin G-CEM™ Veneer	
Veneers			With AEP		<2mm	
Inlays/Onlays	P		With AEP	Retentive preparations	<2mm	
Crowns	P					
Bridge	900					

Strong & durable bond strength for all indications





GC Initial LiSi brilliantly strong and beautiful

- Ultra fine and dense structure thanks to HDM technology bringing:
 - High strength for long-lasting restorations
 - Low abrasion of the antagonist
 - Excellent marginal integrity even in thin margins
 - Excellent polishability for easy occlusal adjustments at chairside
- Beautiful aesthetics: rich, warm and bright colors in four different translucencies, adapting to any substrate
- Extremely versatile, wide range of indications
- A natural smile, for all your patients, thanks to GC Initial LiSi.





Courtesy MDT B. Marais, USA

Why not start tomorrow?

There's a good chance your dental technician is already familiar with the many benefits of GC Initial LiSi. He can create a new natural smile for your patients, with Initial LiSi ceramics. Do not hesitate to contact him for further information.





#233, Phase 3, IDA Pashamylaram, Sangareddy District - 502307 Telangana, India

E: info.gcindia@gc.dental
W: www.gcindiadental.com

